RC8 T3.2 TEAM KIT

RC8 T3.2e TEAM KIT

#80943 RC8T3.2 TEAM KIT
#80944 RC8T3.2e TEAM KIT

KIT ASSEMBLY REQUIRED

1:8 Scale Nitro & Electric 4WD Off Road Competition Truggy Kit Manual & Catalog

WeAreAE CHAMPIONS by DESIGN AssociatedElectrics.

TEAM ASSOCIATED

:: Introduction

Thank you for purchasing this Team Associated product. This assembly manual contains instructions and tips for building and maintaining your new RC8T3.2/RC8T3.2e Kit. Please take a moment to read through this manual to help familiarize yourself with these steps. We are continually changing and improving our designs; therefore, actual parts may appear slightly different than in the illustrations. New parts will be noted on supplementary sheets located in the appropriate parts bags.
Check each bag for these sheets before you start to build.

:: RC8T3.2 / RC8T3.2e KIT Features

- New suspension arm design with inserts for flex adjustments
- Longer rear suspension arm length with narrow rear arm mounts
- New stiff shock bladder design improves jumping and handling performance
- Updated shock cap works for bladder or emulsion style shock setups
- Shorter and lower front bumper reduces drag and allows easier access to anti-roll bar screws
- I.F.M.A.R. approved rear wing
- Updated chassis with chamfered front edges to reduce drag
- Side guards are now threaded into the chassis from the top side of the car
- Two-piece sliding motor mount for easy gear mesh adjustment and motor removal
- 90% parts compatibility with RC8T3.1 and RC8T3.1e

RC8T3.2 Specific Features:
- 4-shoe clutch provides precise power transfer and is easy to maintain.
- Optional clutch spring rates and clutchbells allows custom tuning for varying grip levels.

RC8T3.2e Specific Features:
- Two-piece sliding motor mount for easy gear mesh adjustment and motor removal.

:: Additional

Your new R/C vehicle comes as an unassembled kit. There are some items you will need to complete your kit.
Part numbers suggested are currently offered by Associated Electrics.

- 2 channel radio/transmitter set with switch (FM/PCM/2.4GHz)
- Steering / Throttle servos (#27100, 27101, 27107)
- 1/8th scale Truggy tires
- Needle nose pliers
- Hobby knife
- CA (Cyanoacrylic) glue (#1597)
- Thread locking compound (#1596)
- Shock shaft pliers (#1675)
- Transmitter batteries (#302)
- Tire Balancer (#1498)
- Reamer/hole punch (#1499)
- Ride height gauge (#1449)
- Polycarbonate specific spray paint or polycarbonate specific bottled paint and airbrush

RC8T3.2 Specific Items:
- .21 class rear exhaust engine
- Muffler & manifold springs
- 6.6 - 7.4 flat receiver battery pack (Lipo: #27313 - LiFe: #27315)
- Fuel bottle (#1747)
- Glow igniter
- Nitro RC fuel (30% nitro recommended)
- Starter box (#1751)


RC8T3.2e Specific Items:
- 14.8v LiPo battery pack (#27353, 27354, 27341 recommended)
- 1/8 scale specific electronic speed control (#27007, 27008)
- 1/8 scale specific electric motor (27407)
- Quick charger (#616, 27200 recommended)

:: Other Helpful Items

- Silicone Shock/Diff Fluids (Refer to catalog for complete listings)
- FT Turnbuckle Wrench (#89240)
- FT Hex Wrenches (#1519, 1655)
- FT Nut Drivers (#1663-1668)
- Soldering Iron
- Calipers or Precision Ruler
- Green Slime shock lube (#1105)
- Body Scissors (#1737)
- Wire Cutters
- T Handle Ratchet Driver (#1679)


:: Hardware - 1:1 Scale View

Flat Head (FHCS)




2.5x6mm (4675)
2.5x8mm (31448)
3x6mm (31541)
3x8mm (25201)
Titanium (91592)
3x10mm (25202)
Titaniuim (91593)
3x12mm (25203)
Titanium (91594)
3x14mm (89208)
Titanium (91595)
3x30mm (89212)
4x10mm (81262)
4x12mm (89214)
4x14mm (89217)
4x16mm (81263)
4x20mm (81264)

Button Head (BHCS)




2.5x6mm (31520)
2.5x8mm (31521)
2.5x18mm (81259)
3x6mm (31531)
Titanium (91580)
3x10mm (25211)
3x14mm (25187)
Titanium (91584)
3x16mm (89203)
Titanium (91585)
3x20mm (25188)
3x24mm (89204)
Titanium (91589)
4x10mm (89206)
4x14mm (81260)
4x16mm (81261)

Set Screws




3x3mm (25225)
3x6mm (81257)
3x10mm (4671)
3x12mm (81258)
4x4mm (7732)
5x4mm (89221)

Ball Bearings



5x8x2.5mm (8680)
5x10x4mm (91560)
6x10x3mm (31404)
6x12x4mm (91561)
8x16x5mm (91564)
8x16x5mm flanged (91565)
15x21x4mm (91566)


Socket Head (SHCS)



2x5mm (31511)
2x16mm (7184)
3x8mm (89223)
3x10mm (25620)
3x24mm (89225)


Shims

Differential Shim Set (81381)



3.5x12x0.12mm
6x8x0.20mm
13.5x15.8x0.20mm
13.5x15.8x0.10mm
5.5x1.0mm (31382)

Nuts (lock/plain)



M3 Nut (91477)
M3 Alum. Locknut, Blue (31550)
M3 Locknut, Black (25215
M3 Locknut w/Flange (25612)
FT 3mm Locknuts, Blue(25392)
M4 Locknut (89216)
M4 Locknut Knurled w/Flange (91148)
FT M4 Locknut, Blue (31551)
M4 Locknut, Serrated (91738)

:: Table of Contents

1..... Cover

2..... Introduction

3..... 1:1 Hardware "Fold Out"

4..... Table of Contents

5 - 7.....Differentials Build (Bag 1.1, 1.2)

7 - 8.....Steering / Chassis Build (Bag 2.1, 2.2)

9 - 10.....Front Gearbox Build (Bag 3.1, 3.2)

11 - 12.....Front Uprights Build (Bag 4.1, 4.2)

12 - 14.....Rear Gearbox Build (Bag 5.1, 5.2)

15 - 16.....Rear Uprights / Turnbuckles Build (5.2, 6.1)

16 - 17.....RC8T3.2e Center Bulkhead/ Brakes Build (Bag 7.1, 7.2)

17 - 18 .....Anti-Roll Bars Build (8.1)

18 - 19.....Shocks Build (Bag 9.1)

20..... RC8T3.2e Radio Tray Build (10.1, 10.2)

21..... RC8T3.2e Receiver Box / Linkage Build (Bag 11.1, 11.2)

22 - 23.....RC8T3.2 Center Bulkhead / Brakes (Bag 7.2, 7.2)

23 - 25..... RC8T3.2 Radio Tray Build (Bag 10.1, 10.2)

26 - 27..... RC8T3.2 Servo / Linkage Build (Bag 11.1, 11.2)

27 - 30.....Engine / Tank Build (Bag 12.1, 12.2)

31.....Wheels / Tires / Body (Misc)

32.....Droop Settings

33 - 45.....Catalog

46.....Back Cover

:: Notes



This symbol indicates a special note or instruction in the manual.



This symbol indicates a Racers Tip.



There is a 1:1 hardware foldout page in the front of the manual. To check the size of a part, line up your hardare with the correct drawing until you find the exact size. Each part in the foldout has a number assigned to it for ordering replacement parts.


Associated Electrics, Inc.
21062 Bake Parkway.
Lake Forest, CA 92630

ASSOCIATED ELECTRICS


Customer Service
Tel: 949.544.7500
Fax: 949.544.7501

www.AssociatedElectrics.com • https://twitter.com/Team_Associated • www.instagram.com/teamassociatedrc/ • www.facebook.com/TeamAssociated/


:: Differential Build (Front and Rear) - Bag 1.1, 1.2 - Step 1




:: Differential Build (Front and Rear) - Bag 1.1, 1.2 - Step 2




:: Differential Build (Front and Rear) - Bag 1.1, 1.2 - Step 3




:: Differential Build (Front and Rear) - Bag 1.1, 1.2 - Step 4



Racer's Tip:
Use black grease [#6588] to coat one side of the Diff Gasket between the gear and gasket.




Racer's Tip:
Fill diff above the cross pins, below the planet gears as shown.





Front Diff Fluid:
10,000cst #5455

Rear Diff Fluid:
5,000cst #5453

:: Differential Build (Center) - Bag 1.1, 1.2 - Step 5










Align pin with groove in sun gear

:: Differential Build (Center) - Bag 1.1, 1.2 - Step 6






:: Differential Build (Center) - Bag 1.1, 1.2 - Step 7



:: Differential Build (Center) - Bag 1.1, 1.2 - Step 8




Racer's Tip:
Use black grease (#6588) to coat one side of the Diff Gasket between the gear and gasket.

Racer's Tip:
Fill diff above the cross pins, below the planet gears as shown.

Center Diff Fluid:
10,000cst #5455

:: Shocks Build - Bag 2.1 - Step 1



:: Shocks Build - Bag 2.1 - Step 2



Racer's Tip:
Use green slime (#1105) to lube the O-Rings before installation!
(not included)




81191
Shock Boots

81194
Shock Rod End and Ball

81452
RC8B3.2 Shock Cap



81453
Bladder, Stiff





81181
Shock Cap Insert




91492
2x4mm BHCS

91492
Gasket



When installing the shock bladder, make sure it is correctly seated within the shock cap as shown.

:: Shocks Build - Bag 2.1 - Step 3



Front Shock Fluid:
40wt #5423

Rear Shock Fluid:
35wt #5429

Leave a gap when installing the shock cap.




Compress shock shaft fully. Let shock fluid bleed from bleeder screw hole, then tighten the screw.

For more rebound, do not compress shock shaft as far before tightening the shock cap.



:: Shocks Build - Bag 2.1 - Step 4

The shock springs come with colored heat shrink tubing. Install them on the springs for easy identification.




81221
Spring Collar O-Ring, 20mm

81221
Spring Collar, 20mm

81225
Front Spring V2, Blue (5.55lb/in)


81231
Rear Spring V2, Blue (4.30lb/in)


81194
Spring Cup, 20mm



:: Turnbuckles Build - Bag 3.1, 3.2 - Step 1

Steering Servo Turnbuckle







Steering Servo Turnbuckle
11.50mm (0.45")

:: Turnbuckles Build - Bag 3.1, 3.2 - Step 2

Steering Turnbuckle




Note direction of turnbuckle ball




Set aside until page
22 - RC8T3.2e
25 - RC8T3.2

:: Turnbuckles Build - Bag 3.1, 3.2 - Step 3


Rear Hub Turnbuckle




Set aside until page
22 - RC8T3.2e
25 - RC8T3.2




:: Steering / Chassis Build - Bag 4.1, 4.2 - Step 1




:: Steering / Chassis Build - Bag 4.1, 4.2 - Step 2




:: Steering / Chassis Build - Bag 4.1, 4.2 - Step 3




:: Steering / Chassis Build - Bag 4.1, 4.2 - Step 4



:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 1




:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 2




:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 3

Kit Setup:




Build left and right side!



81292 RC8B3.1 Arm Mount (B), HRC

81050 x2 Arm Mount Insert, Center

81260 x2 4x14mm BHCS



81476 Front Arm, Lower


89317 Droop Screw

81476 Front Arm Insert, Lower

31532 x2 3x8mm BHCS

25201 x3 3x8mm FHCS


Droop Screw:
Kit Setup:
4.0mm




Note that each arm is marked with a R for the Right Arm or an L for the Left Arm.

:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 4

Kit Setup:






81060 Hinge Pin

81316 Front Arm Shim, 1mm

81291 RC8B3.1 Arm Mount (A), HRC

81260 x2 4x14mm BHCS

81050 x2 Arm Mount Insert, Center



81150 x2 Anti-Roll Bar Rod End


81150 Anti-Roll Bar Pivot

81258 3x12mm Set Screw

81150 Rod End Ball


1.5mm

:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 5



Left Side **Right Side**

Anti-Roll Bar Pivots:
Offset the anti-roll bar rod ends (approximately 45 degrees).



81257 x2 3x6mm Set Screw


81197 x2 Shock Pin

Note direction

:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 6

Center the Anti-Roll Bar Collet on the Anti-Roll Bar, then tighten the (#25225) 3x3mm set screw. Angle the set screw up slightly to allow access once installed.

Front anti-roll bar gap: 2.0mm




81130 (Front) Anti-Roll Bar, 2.4mm

81150 Anti-Roll Bar Collet

(not included) #1596 thread lock

25225 3x3mm Set Screw



:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 7

Tighten 3x6mm set screws just enough to still allow the anti-roll bar to move freely.

25225 x2 3x3mm Set Screw

(not included) #1596 thread lock

31521 x2 2.5x8mm BHCS

81257 x2 3x6mm Set Screw

89214 4x12mm FHCS

25201 x2 3x8mm FHCS

#1596 thread lock

(not included)

89216 M4 Locknut


81030 Top Plate

81032 Chassis Brace, Front

81050 x2 Arm Mount Insert, Center


81049 Upper Link Mount

Kit Setup:



:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 8

89214 x2 4x12mm FHCS



81312 RC8T3 Shock Tower, Front

89225 x2 3x24mm SHCS

#1596 thread lock

(not included)


81323 x2 RC8T3 Body Mount

81196 x2 Shock Bushing

89208 x2 3x14mm FHCS

81050 x2 Arm Mount Insert, Center


Kit Setup:






:: Front Gearbox Build - Bag 5.1, 5.2, 5.3 - Step 9

Build left and right side!




:: Steering Blocks Build - Bag 6.1, 6.2 - Step 1


Build left and right side!




:: Steering Blocks Build - Bag 6.1, 6.2 - Step 2




:: Steering Blocks Build - Bag 6.1, 6.2 - Step 3




:: Steering Blocks Build - Bag 6.1, 6.2 - Step 4




:: Steering Blocks Build - Bag 6.1, 6.2 - Step 5



:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 1



:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 2




Step 1:
Add shims on this side to TIGHTEN gear mesh.
Subtract shims on this side to LOOSEN gear mesh.
New plastic may fit 2 total shims.


Step 2:
Add or subtract shims here to finalize diff side to side play once gear mesh is set from Step 1.
Recommended diff side to side clearance (gearbox assembly) 0.10 - 0.25mm.

Notes:
0.1 mm shim can be used for fine tuning of gear mesh. After running, recheck and add third shim to keep shimming tight.


:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 3




:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 4




:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 5




:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 6




:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 7




:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 8



:: Rear End Build - Bag 7.1, 7.2, 7.3 - Step 9




:: Rear Hubs Build - Bag 8.1, 8.2 - Step 1



Slide the Hex Drive Clamp **PAST** the groove on the 17mm Hex Drive when installing onto the CVA Drive Shaft.


Once the Wheel Hex Pin and 5x4mm Set Screw has been installed, slide the Hex Drive Clamp **IN** the groove on the 17mm Hex Drive.

:: Rear Hubs Build - Bag 8.1, 8.2 - Step 2




Kit Setup:
Mount the rear camber link in the outside hole on the rear hub.


Kit Setup:
Mount the rear hub to the rear arm in the upper hole.



:: Rear Hubs Build - Bag 8.1, 8.2 - Step 3



Kit Setup:
Mount the rear shock in the inside hole on the rear arm.




RC8T3.2e Electric Kit and RC8T3.2 Nitro Kit


If you are building an RC8T3.2e Electric kit, continue on to Center Bulkhead Build below this step.

If you are building an RC8T3.2 Nitro kit, go to page 23 to build the Center Bulkhead.


:: Center Bulkhead Build - Bag 9.1, 9.2 - Step 1 (RC8T3.2e)



:: Center Bulkhead Build - 9.1, 9.2 - Step 2 (RC8T3.2e)




:: Battery Tray Build - Bag 10.1, 10.2 - Step 1 (RC8T3.2e)





:: Battery Tray Build - Bag 10.1, 10.2 - Step 2 (RC8T3.2e)

Install the ESC wire as shown first.
Then run the hook and loop straps
as shown.




:: Battery Tray Build - Bag 10.1, 10.2 - Step 3 (RC8T3.2e)







:: Receiver Box Build - Bag 11.1, 11.2 - Step 1 (RC8T3.2e)




:: Receiver Box Build - Bag 11.1, 11.2 - Step 2 (RC8T3.2e)



:: Receiver Box Build - Bag 11.1, 11.2 - Step 3 (RC8T3.2e)







RC8T3.2e Build End

:: Center Bulkhead / Brakes Build - Bag 9.1 - Step 1 (RC8T3.2 Nitro)


RC8T3.2 Nitro Build Continued



:: Center Bulkhead / Brakes Build - Bag 9.1 - Step 2 (RC8T3.2 Nitro)




Center brake levers between the brake cams.




:: Center Bulkhead / Brakes Build - Bag 9.1 - Step 2 (RC8T3.2 Nitro)



Align slotted holes on the same side when installing brake pads.





The upper center bulkheads have "F" for front and "R" for rear.



Build Front and Rear


:: Center Bulkhead - 9.1 - Step 4 (RC8T3.2 Nitro)





Note direction of center diff.


:: Linkages Build - Bag 10.1 - Step 1 (RC8T3.2 Nitro)



:: Linkages Build - Bag 10.1 - Step 2 (RC8T3.2 Nitro)


Recommended Starting Positions:

Front Brake Gap
7.75mm



Install Brake Links so they are flush with the back of the servo horn pivots.


Rear Brake Gap
4.5mm



:: Linkages Build - Bag 10.1 - Step 3 (RC8T3.2 Nitro)



Printed here
A - Airtronics
F - Futaba
H - Hitec
J - JR/KO



81250 Servo Horn (Steering) and Cone Washer

25215 M3 Locknut



81250 Servo Horn Insert




31386 Shim, 2mm



81250 Servo Horn Large Ring



91048 HD Ball Stud, 8mm




91050 HD Ball Stud, 12mm

31386 Shim, 2mm

:: Radio Tray Build - Bag 11.1 - Step 1 (RC8T3.2 Nitro)


Radio Tray Configuration:
The radio tray on RC8B3.2 can be configured in four different ways. Each configuration changes the amount and location of flex in the chassis. Experiment with different configurations when running on different surfaces.

When removing either graphite radio tray brace or transponder mount, utillize included plastic shims to maintain proper servo height.




81433 Radio Tray Spacer

Option 1




Least Flex (Kit Setup)

Option 2




Most Flex

Option 3



More Rearward Flex

Option 4




More Frontward Flex

:: Radio Tray Build - Bag 11.1 - Step 2 (RC8T3.2 Nitro)

31448 x4 2.5x8mm FHCS


81451 Radio Tray Brace



81433 x2 Radio Tray Post



81450 Transponder Mount



81432 Battery Box, Bottom

25187 x4 3x14mm BHCS

89218 x4 3x8mm Washer



Servo not included!




25187 x4 3x14mm BHCS

89218 x4 3x8mm Washer


Servo not included!

25201 x2 3x8mm FHCS




81432 Receiver Box, Bottom


:: Radio Tray Build - Bag 11.1 - Step 3 (RC8T3.2 Nitro)



:: Radio Tray Build - Bag 11.1 - Step 4 (RC8T3.2 Nitro)




:: Clutch / Filter Build - Bag 12.1, 12.2 - Step 1 (RC8T3.2 Nitro)



:: Clutch / Filter Build - Bag 12.1, 12.2 - Step 2 (RC8T3.2 Nitro)

Clutch Shoe / Spring Installation Order:


Short end of clutch shoe spring installed into flywheel.
Long end of clutch shoe spring installed into clutch shoe.




:: Clutch / Filter Build - Bag 12.1, 12.2 - Step 3 (RC8T3.2 Nitro)

Clutch shimming instructions:


- Build assembly with shims as shown
- If clutchbell does not spin freely:
  A) Move shim from behind clutch bell to in front of clutch bell
  B) Remove one shim from front of clutch bell
- Recommended axial play in clutch bell = 0.2mm - 0.5mm




:: Clutch / Filter Build - Bag 12.1, 12.2 - Step 4 (RC8T3.2 Nitro)




When oiling the filter elements, place both inside a plastic bag and squeeze to help evenly coat the filter.



:: Clutch / Filter Build - Bag 12.1, 12.2 - Step 5 (RC8T3.2 Nitro)





:: Clutch / Filter Build - Bag 12.1, 12.2 - Step 6 (RC8T3.2 Nitro)




:: Clutch / Filter Build - Bag 12.1, 12.2 - Step 7 (RC8T3.2 Nitro)

When installing your engine, make sure the rear drive shaft does not interfere with the engine block. You may need to remove material from the engine block for fitment.





:: Fuel Tank Build - Bag 13.1, 13.2 - Step 1 (RC8T3.2 Nitro)




Racer's Tip:
Install fuel tank posts to chassis before installing the fuel tank.


:: Fuel Tank Build - Bag 13.1, 13.2 - Step 2 (RC8T3.2 Nitro)


Pressure line from fuel tank lid to exhaust pipe

Fuel line from fuel tank to carburetor



:: Wheels / Tires / Body - Misc. - Step 1






Build four wheels/ tires

Tires:
When gluing tires to wheels, use a fast-curing tire glue (CA) (AE #1597). Make sure to clean the mounting surface of the tire and wheel with alchohol for best adhesion.


:: Wheels / Tires / Body - Misc. - Step 2

Install wheel nuts (#81082) with the serrated edge towards the wheel.




81082
Wheel Nuts, 17mm (Blue)

Install wheel nuts (#81082) with the serrated edge towards the wheel.



81082
Wheel Nuts, 17mm (Blue)

:: Wheels / Tires / Body - Misc. - Step 3




Painting Tips:

Your new kit comes with a clear polycarbonate body. You will need to prep the body before you can paint it. Wash the inside thoroughly with warm water and liquid detergent. Dry the body using a clean, soft, lint-free cloth. Install the window masks on the inside of the body (RC car bodies get painted on the inside). If creating a design, using high quality masking tape, apply tape to the inside of the body to create a design. Spray (either rattle can or airbrush R/C specific paint) the paint to the inside of the body (prefferably dark colors first, lighter colors last).


NOTE: use ONLY paint that is recommended for use with (polycarbonate) plastics. If you do not, you can destroy the polycarbonate body!!!


After painting, cut the body along the trim lines. Make sure to drill or use a body reamer to make the holes for the body mounts and antenna!



:: Droop Settings

Set droop by measuring overall length of shock (from standoff to shock pin) while the chassis is elevated above your working surface. The shocks should be fully extended.
Kit setup for front droop is 107.5mm shock length, and 128mm shock length for the rear.
If the shock length is too long, adjust by turning the droop screws clockwise.
If the shock length is too short, adjust by turning the droop screws counter-clockwise.





Front Droop: Increasing front droop (loosen droop screws) will increase off-throttle steering. It also allows the front end to lift more, giving more rear grip and less front grip on-power. Remember to never loosen the screws beyond the FULL DROOP setting. Decreasing front droop (tighten droop screws) yields more on-power steering and quicker response at the expense of some stability in bumpy sections. It will also give less off-throttle steering.

Rear Droop: Increasing rear droop (loosen droop screws) will increase traction in bumpy sections, but will reduce high-speed stability. Remember to never loosen the screws beyond the FULL DROOP setting. Decreasing rear droop (tighten droop screws) will increase stability in high speed sections, but will reduce stability in bumpy sections.

Setup Sheets:

To find different setups for your kit, visit our website, www.rc10.com and click on the "Setup Sheets" link, and then the link to your model. Our team of professional drivers help develop these setups at races worldwide. Additionally, most drivers have a "base" setup that they use as a starting point for most races. Try running some of our base setups or look for track conditions and tires that are similar to your local track and replicate that setup. Remember, each adjustment has a purpose, so copy everything from the setup sheet and then make adjustments based on the recommendations in here.

:: Shocks

81160	RC8B3 Shock Body, 30.5mm	2
81161	RC8B3 Shock Body, 39.5mm	2
81172	RC8T3 Shock Shaft, 33.5mm (TiN)	2
81173	RC8T3 Shock Shaft, 42.5mm (TiN)	2
81176	RC8T3 FT Chrome Shock Shafts, 3.5x33.5 mm	2
81177	RC8T3 FT Chrome Shock Shafts, 3.5x42.5 mm	2
81181	RC8B3 Shock Cap Insert	4
81185	RC8B3 Shock Rebuild Kit	1
81186	RC8B3 Shock O-Ring	8
81188	RC8B3 Shock Body Seal Retainer	2
81191	RC8T3 Shock Boots	4
81194	Shock Rod Ends & Spring Cups, 20mm	4 ea.
81200	RC8B3 Shock Pistons (6x1.3, 6x1.3 T, 8x1.2 T)	2 ea.
89215	M2.5 Locknut (silver)	10
81221	Spring Collars & O-Rings, 20mm	2 ea.
81407	RC8B3.1 Shock Seal Bushing Set	4 ea.
81452	RC8B3.2 16mm Shock Caps	2
81453	RC8B3 16mm Shock Bladders, stiff	4
81461	RC8B3.2 Front Shock Kit	1
81462	RC8B3.2 Rear Shock Kit	1
89278	Washer, 2.5mm	20
91492	12mm V2 Bleeder Gaskets and Screws	2 ea.

:: Shock Fluid

5420	10 Weight Silicone Shock Fluid	2oz.
5421	20 Weight Silicone Shock Fluid	2oz.
5422	30 Weight Silicone Shock Fluid	2oz.
5423	40 Weight Silicone Shock Fluid	2oz.
5424	22.5 Weight Silicone Shock Fluid	2oz.
5425	80 Weight Silicone Shock Fluid	2oz.
5426	27.5 Weight Silicone Shock Fluid	2oz.
5427	15 Weight Silicone Shock Fluid	2oz.
5428	25 Weight Silicone Shock Fluid	2oz.
5429	35 Weight Silicone Shock Fluid	2oz.
5430	45 Weight Silicone Shock Fluid	2oz.
5431	55 Weight Silicone Shock Fluid	2oz.
5432	32.5 Weight Silicone Shock Fluid	2oz.
5433	37.5 Weight Silicone Shock Fluid	2oz.
5434	42.5 Weight Silicone Shock Fluid	2oz.
5435	50 Weight Silicone Shock Fluid	2oz.
5436	60 Weight Silicone Shock Fluid	2oz.
5437	70 Weight Silicone Shock Fluid	2oz.
5438	47.5 Weight Silicone Shock Fluid	2oz.









:: Springs

81222	Front Spring, V2, 4.9lb/in, Green	Pr.
81223	Front Spring, V2, 5.1lb/in, White	Pr.
81224	Front Spring, V2, 5.3lb/in, Gray	Pr.
81225	Front Spring, V2, 5.5lb/in, Blue - KIT	Pr.
81226	Front Spring, V2, 5.7lb/in, Yellow	Pr.
81229	Rear Spring, V2, 4.1lb/in, White	Pr.
81230	Rear Spring, V2, 4.2lb/in, Gray	Pr.
81231	Rear Spring, V2, 4.3lb/in, Blue - KIT	Pr.
81232	Rear Spring, V2, 4.4lb/in, Yellow	Pr.


:: Differential Fluids

5444	Silicone Diff Fluid 4,000CST	1
5446	Silicone Diff Fluid 6,000CST	1
5447	Silicone Diff Fluid 15,000CST	1
5448	Silicone Diff Fluid 80,000CST	1
5450	Silicone Diff Fluid 1,000CST	1
5451	Silicone Diff Fluid 2,000CST	1
5452	Silicone Diff Fluid 3,000CST	1
5453	Silicone Diff Fluid 5,000CST	1
5454	Silicone Diff Fluid 7,000CST	1
5455	Silicone Diff Fluid 10,000CST	1
5456	Silicone Diff Fluid 20,000CST	1
5457	Silicone Diff Fluid 30,000CST	1
5458	Silicone Diff Fluid 60,000CST	1
5459	Silicone Diff Fluid 100,000CST	1
5461	Silicone Diff Fluid 200,000CST	1
5463	Silicone Diff Fluid 500,000CST	1
5464	Silicone Diff Fluid 1,000,000CST	1




:: Front / Rear Gear Differential

81008	Diff Outdrives, 15mm, Rear Diff	2
81012	Diff Outdrives, 17mm, Front Diff	2
81014	RC8T3.1 Diff Ring Gear, 46T	1
81379	RC8B3.1 Differential Case	1
81380	RC8B3.1 Differential Gear Set (HTC) - KIT	1
81381	RC8B3.1 Differential Shim Set	1
81383	RC8B3.1 Differential Gear Set (LTC)	1
81384	RC8B3.1 Differential Gasket	3
81385	RC8B3.1 Differential O-Ring Set	1
89208	3 x 14mm FHCS	10
91564	8 x 16 x 5 Bearings	2




:: Center Gear Differential (RC8T3.2e)

81012	Diff Outdrives, 17mm, Center Diff	2
81379	RC8B3.1 Differential Case	1
81380	RC8B3.1 Differential Gear Set (HTC) - KIT	1
81381	RC8B3.1 Differential Shim Set	1
81383	RC8B3.1 Differential Gear Set (LTC)	1
81384	RC8B3.1 Differential Gasket	3
81385	RC8B3.1 Differential O-Ring Set	1
81389	RC8B3.1e Plastic Spur Gear, 46T - KIT	1
89208	3 x 14mm FHCS	10
91564	8 x 16 x 5 Bearings	2




:: Center Gear Differential (RC8T3.2 Nitro)

81012	Diff Outdrives, 17mm, Center Diff	2
81379	RC8B3.1 Differential Case	1
81380	RC8B3.1 Differential Gear Set (HTC) - KIT	1
81381	RC8B3.1 Differential Shim Set	1
81383	RC8B3.1 Differential Gear Set (LTC)	1
81384	RC8B3.1 Differential Gasket	3
81385	RC8B3.1 Differential O-Ring Set	1
81386	RC8B3.1 Spur Gear, 46T - KIT	1
81387	RC8B3.1 Spur Gear, 47T	1
81388	RC8B3.1 Spur Gear, 48T	1
89208	3 x 14mm FHCS	10
91564	8 x 16 x 5 Bearings	2




:: Center Bulkhead (RC8T3.2e)

25211	3 x 10mm BHCS	20
25224	M4 x 4mm Set Screw	20
31448	2.5 x 8mm FHCS	6
31532	3 x 8mm BHCS	6
81262	4 x 10mm FHCS	6
81299	RC8B3e Motor Mount	1
81300	RC8B3e Motor Mount Slide	1
81304	RC8B3e Center Bulkhead / Cover / Guide	1
89206	4 x 10mm BHCS	10
89512	Pinion, 12T	1
89513	Pinion, 13T	1
89514	Pinion, 14T	1
89515	Pinion, 15T	1
89516	Pinion, 16T	1
89517	Pinion, 17T	1
89593	Pinion, 18T	1
89594	Pinion, 19T	1
89595	Pinion, 20T	1




:: Center Bulkhead

4671	M3 x 10mm Set Screw	6
25225	M3 x 3mm Set Screw	20
31448	M2.5 x 8mm FHCS	6
31532	M2.5 x 8mm BHCS	10
81037	RC8B3 Brake Rotor	2
81038	RC8B3 Brake Pad Spring	4
81039	RC8B3 Brake Pads and Springs	1
81040	RC8B3 Brake Cam	2
81042	RC8B3 Brake Lever	2
81043	RC8B3 Center Top Plate	1
81256	C-Clip, 5mm	6
81448	Center Bulkhead Set	1
89149	Brake Bolt	4
89212	M3 x 30mm FHCS	10
89214	M4 x 12mm FHCS	10




:: Front Gearbox

4675	2.5 x 6mm FHCS	6
25620	3 x 10mm SHCS	20
31521	2.5 x 8mm BHCS	6
81007	RC8B3 Diff Pinion Gear, 10T	1
81015	RC8B3 Gearbox	2
81020	RC8B3 Center Universal, 76mm	1
81050	RC8B3 Arm Mount Insert	12 ea.
81060	RC8B3 Hinge Pin Set	1
81257	3 x 6mm Set Screw	6
81259	2.5 x 18mm BHCS	6
81260	4 x 14mm BHCS	6
81264	4 x 20mm FHCS	6
81291	RC8B3.1 Arm Mount, A	1
81292	RC8B3.1 Arm Mount, B	1
81316	RC8T3 Front Arms/Shims	Pr.
81447	RC8B3.2 Bumper	1
89214	4 x 12mm FHCS	10
89221	5 x 4mm Set Screw	10
91561	Bearing, 6 x 12 x 4mm	2




:: Rear Gearbox

4675	2.5 x 6mm FHCS	6
25620	3 x 10mm SHCS	20
31521	2.5 x 8mm BHCS	6
81007	RC8B3 Diff Pinion Gear, 10T	1
81015	RC8B3 Gearbox	2
81023	Center Universal, 165mm	1
81050	RC8B3 Arm Mount Insert	12 ea.
81060	RC8B3 Hinge Pin Set	1
81257	3 x 6mm Set Screw	6
81259	2.5 x 18mm BHCS	6
81261	4 x 16mm BHCS	6
81264	4 x 20mm FHCS	6
81446	RC8B3 Shim Set	1
81454	RC8B3 HRC Arm Mount, Narrow, C	1
81455	RC8B3 HRC Arm Mount, Narrow, D	Pr.
89214	4 x 12mm FHCS	10
89221	5 x 4mm Set Screw	10
91561	FT Bearing, 6 x 12 x 4mm	2




:: Steering

8680	FT Steering Bearing Set, 5 x 8 x 2.5mm & 6 x 10 x 3mm	4 ea.
25201	3 x 8mm FHCS	20
31404	Bearing, 6 x 10 x 3mm	4
81083	Servo Saver Spring	1
81084	RC8B3.1 Servo Saver Tube	1
81086	RC8B3 Steering Bellcrank	1
81088	RC8B3 Steering Bellcrank Nut	2
81089	RC8B3 Steering Rack	1
81091	RC8B3 Steering Post	2
81262	4 x 10mm FHCS	10




:: Front Shock Tower

2208	Body Clips, Large	6
25612	M3 Locknut with Flange, Black	20
81050	RC8B3 Arm Mount Inserts	12 ea.
81196	RC8B3 Shock Bushing	4
81312	RC8T3 Shock Tower, Front	1
81323	RC8T3 Body Posts, Set	1
89208	3 x14mm FHCS	10
89214	4 x 12mm FHCS	10
89225	3 x 24mm SHCS	10




:: Rear Shock Tower

2208	Body Clips, Large	6
25203	3 x 12mm FHCS	20
25211	3 x 10mm BHCS	20
25612	M3 Locknut with Flange, Black	20
81196	RC8B3 Shock Bushing	4
81323	RC8T3 Body Posts, Set	1
81484	RC8T3.2 Shock Tower, Rear	1
89214	4 x 12mm FHCS	10
89225	3 x 24mm SHCS	10




:: Front Suspension

25201	3 x 8mm FHCS	10
25202	3 x 10mm FHCS	10
25211	3 x 10mm BHCS	10
25225	3 x 3mm Set Screw	10
31532	3 x 10mm BHCS	10
81056	RC8B3 Suspension Arm Endcap	4
81060	RC8B3 Hinge Pin Set	1
81063	Steering Block Arms, +2 deg., alum.	Pr.
81065	RC8B3 Steering Block	Pr.
81067	RC8B3 Pillow Ball	2
81070	RC8B3 Pillow Ball Nut	4
81072	RC8B3 Pillow Ball Shim	6
81082	RC8B3 Wheel Nuts, 17mm Blue	2
81093	RC8B3 Rod End, 4mm (4 ball joints, 2 rod ends, 2 offset rod ends)	1
81197	RC8B3 Shock Pin	4
81257	3 x 6mm Set Screw	6
81319	17mm Hex Drives, 11.5mm Offset	2
81326	RC8B3 CVA Axle, Steel	2
81328	FT RC8B3 CVA Rebuild Kit	2
81331	RC8T3 CVA Bones, 133mm	2
81446	RC8B3.2 Shim Set	1
81476	RC8T3.2 Front Lower Arms	Pr.
81480	RC8T3.2 Front Upper Arms	Pr.
89096	Wheel Hex Pin	4
89221	5 x 4mm Set Screw	10
89317	Droop Screw	8
89526	Turnbuckles, 4x50 mm/1.97 in	2
91565	FT Flanged Bearing, 8 x 16 x 5	4
91566	FT Bearings, 15 x 21 x 4mm	4




:: Rear Suspension

25201	3 x 8mm FHCS	10
25211	3 x 10mm BHCS	10
25225	3 x 3mm Set Screw	10
25612	M3 Locknut with Flange, Black	10
31532	3 x 10mm BHCS	10
81075	RC8B3 Rear Hub	Pr.
81076	RC8B3 Hub Hinge Pin	2
81082	RC8B3 Wheel Nuts, 17mm Blue	2
81094	RC8B3 Rod End, 5mm (4 ball joints, 2 rod ends, 2 offset rod ends)	1
81197	RC8B3 Shock Pin	4
81257	3 x 6mm Set Screw	6
81319	17mm Hex Drives, 11.5mm Offset	2
81321	Turnbuckle, 5 x 80mm	2
81326	RC8B3 CVA Axle, Steel	2
81328	FT RC8B3 CVA Rebuild Kit	2
81331	RC8T3 CVA Bones, 133mm	2
81397	RC8B3.1 Turnbuckle Balls	4
81398	RC8B3.1 Turnbuckle Balls, shouldered	4
81472	RC8T3.2 Rear Arms	Pr.
89096	Wheel Hex Pin	4
89204	3 x 24mm BHCS	10
89221	5 x 4mm Set Screw	10
89317	Droop Screw	8
91565	FT Flanged Bearing, 8 x 16 x 5	4
91566	FT Bearings, 15 x 21 x 4mm	4




:: Radio Tray / Servo Linkage (RC8T3.2e)

1401	FT Ti Turnbuckle, 33mm	2
6338	Antenna Tube with Cap, Black	1
9907	Receiver Box Grommets	2
25187	3 x 14mm BHCS	20
25202	3 x 10mm FHCS	20
25215	M3 Locknut, Black	20
25225	3 x 3mm Set Screw	20
31386	Bulkhead Washers, 7.8x2.0mm	10
31448	2.5 x 8mm BHCS	6
81250	RC8B3 Servo Horns	1
81262	4 x 10mm FHCS	6
81303	RC8B3e Servo/Receiver Box	1
89023	Servo Mount Spacers Set	1
89218	Washers, 3 x 8mm	10
91048	HD Ballstuds, 8mm	8
91050	HD Ballstuds, 12mm	8
91453	HD Ball Cup Set, Small	1




:: Battery Tray (RC8T3.2e)

81262	4 x 10mm FHCS	6
81263	4 x 16mm FHCS	6
81297	RC8B3e Battery Tray	1
81298	RC8B3e Battery Foams	1
89506	Hook and Loop Fastener Battery Strap	3




:: Radio Tray (RC8T3.2 Nitro)

6338	Antenna Tube with Cap, Black	1
25187	M3 x 14mm BHCS	10
25201	M3 x 8mm FHCS	10
25211	M3 x 10mm BHCS	10
25215	M3 Locknuts	10
25225	M3 x 3mm Set Screw	10
31448	M2.5 x 8mm FHCS	10
42007	Receiver Box Seals	1
81432	RC8B3.2 Battery / Receiver Box	1
81433	RC8B3.2 Radio Tray Post (2) Spacers (4)	1
81450	RC8B3.2 Transponder Mount	1
81451	RC8B3.2 Radio Tray Brace	1
89214	M4 x 12mm FHCS	10
89218	M3 x 8mm Washer	10




:: Linkage (RC8T3.2 Nitro)

1401	FT Ti. Turnbuckle, 33 mm	2
25201	M3 x 8mm FHCS	10
25215	M3 Locknut, Black	10
25225	M3 x 3mm Set Screw	10
31386	Bulkhead Washer, 7.8x2.0mm, Blue	10
81250	RC8B3 Servo Horns	1
81251	RC8B3 Linkage Set	1
91048	HD Ballstuds, 8 mm	8
91050	HD Ballstuds, 12 mm	8
91469	Ball Cup Set, small	1



:: Front Chassis Brace

25201	3 x 8mm FHCS	20
81030	RC8B3 Top Plate	1
81032	RC8B3 Chassis Brace	Pr.
81049	RC8B3 Upper Link Mount	1
81050	RC8B3 Arm Mount Insert	12 ea.
81262	4 x 10mm FHCS	6
81301	RC8B3 Chassis Braces, short (front and rear)	Pr.
89214	4 x 12mm FHCS	10
89216	M4 Locknut	10




:: Rear Chassis Brace

25188	3 x 20mm BHCS	20
25215	M3 Locknut, Black	20
81032	RC8B3 Chassis Brace	Pr.
81301	RC8B3 Chassis Braces, short (front and rear)	Pr.
89214	4 x 12mm FHCS	10
89216	M4 Locknut	10




:: Anti-Roll Bars

25225	M3 x 3mm Set Screw	10
81129	RC8B3 Front Anti-Roll Bars (2.0, 2.1, 2.2mm)	1 ea.
81130	RC8B3 Front Anti-Roll Bars (2.3, 2.4, 2.5mm)	1 ea.
81131	RC8B3 Front Anti-Roll Bars (2.6, 2.7, 2.8mm)	1 ea.
81139	RC8B3 Rear Anti-Roll Bars (2.2, 2.3, 2.4mm)	1 ea.
81140	RC8B3 Rear Anti-Roll Bars (2.5, 2.6, 2.7mm)	1 ea.
81141	RC8B3 Rear Anti-Roll Bars (2.8, 2.9, 3.0mm)	1 ea.
81150	RC8B3 Anti-Roll Bar Drop Link / Collet	1
81258	M3 x 12mm Set Screw	6




:: Wing

25187	M3 x 14mm BHCS	10
25203	M3 x 12mm FHCS	10
25215	M3 Locknut, Black	10
81104	RC8B3 IFMAR Wing, Black	1
81105	RC8B3 IFMAR Wing, White	1
81106	RC8B3 Wing, Black	1
81108	RC8B3 Wing Mount	1
81109	Wing Mount, +8mm	1
81263	M4 x 16mm FHCS	6




:: Clutch (RC8T3.2 Nitro)

81365	Clutch Springs (0.90, 4 Shoe) - KIT	4
81366	Clutch Springs (0.95, 4 Shoe) - KIT	4
81367	Clutch Springs (1.00, 4 Shoe)	4
81368	Clutch Springs (1.05, 4 Shoe)	4
81369	Clutch Springs (1.10, 4 Shoe)	4
81370	RC8B3.1 Flywheel (4 Shoe)	1
81371	RC8B3.1 Flywheel Collet (4 Shoe)	2
81372	RC8B3.1 Flywheel Nut (4 Shoe)	1
81373	Clutch Shoe Pins (4 Shoe)	4
81374	Clutch Bell (13T, Vented, 4 Shoe)	1
81375	Clutch Shoe, Hard (4 Shoe) - KIT	2
81377	Clutch Shoe, Composite Hard (4 Shoe)	2
81402	Clutch Shoe, Composite (4 Shoe) - KIT	2
89148	Clutch Bell Shim Set	1
89218	3 x 8mm Washer	10
89223	3 x 8mm SHCS	10
91560	5 x 10 x 4mm Bearing	2




:: Air Filter (RC8T3.2 Nitro)

2208	Body Clips, Large	6
25620	3 x 10mm SHCS	20
81124	RC8B3 Air Filter & Boot	1
81125	RC8B3 Air Filter Element	1




:: Fuel Tank (RC8T3.2 Nitro)

25211	3 x 10mm BHCS	20
31520	2.5 x 6mm BHCS	6
81122	RC8B3 Tank Post / Grommet	2 ea.
81262	4 x 10mm FHCS	6
81322	RC8T3 Fuel Tank	1
89218	3 x 8mm Washer	10




:: Chassis (RC8T3.2e)

25201	3 x 8mm FHCS	20
31540	3 x 5mm FHCS	6
81001	RC8B3 Side Guards	Pr.
81471	RC8T3.2e Chassis	1



:: Chassis (RC8T3.2 Nitro)

7732	4 x 4mm Set Screw	6
25201	3 x 8mm FHCS	20
25620	3 x 10mm SHCS	20
31540	3 x 5mm FHCS	6
81001	RC8B3 Side Guards	Pr.
81114	RC8B3 Engine Mount Washers	4
81115	RC8B3 Engine Mount	Pr.
81118	RC8B3 Pipe Mount	1
81262	4 x 10mm FHCS	6
81470	RC8T3.2 Chassis	1



:: Factory Team and Option Parts

25392	3mm Blue Locknut, Flanged	10
27128	Servo Washers, aluminum, black	4
31550	M3 Aluminum Lock Nut	6
81064	FT RC8B3 Graphite Steering Block Arms, +2 deg.	Pr.
81068	Factory Team Aluminum Pillow Balls	2
81077	Factory Team Aluminum Rear Hubs	Pr.
81085	Servo Saver Arm, aluminum	1
81092	FT Aluminum Steering Bellcrank Posts	2
81116	RC8B3 FT Engine Mount Base	1
81117	RC8B3 FT Engine Mounts	Pr.
81210	FT 16 mm Pistons, 8x1.2 mm, tapered, angled	Pr.
81211	FT 16 mm Pistons, 8x1.3 mm, tapered, angled	Pr.
81301	RC8B3 Chassis Braces, short (front and rear)	1
81382	FT Differential Cross Pins, with inserts	1
81396	Clutch Bell 14T, vented, 4 shoe	1
81405	RC8B3.1 FT Chassis Weight, 15g	1
81406	RC8B3.1 FT Chassis Weight, 30g	1
81407	RC8B3.1 Shock Seal Bushing Set	4 ea.
81410	RC8B3.1 Shock Bushings, blue aluminum	4
81413	RC8B3 FT Rigid Engine Mount	1
81420	FT 4-Shoe Adjustable Clutch System	1
81421	FT Adjustable Flywheel and Spring Cam	1
92100	FT Aluminum Wing Buttons	2

:: Wheels / Tires / Bodies / Decals

726	Reedy 2016 Sticker Set	1
81324	RC8T3 Pro Line Body with Mask	1
81325	RC8T3 Decal Sheet	1

:: Reedy Chargers and Accessories

27200	1216-C2 Dual AC/DC Comp. Battery Charger	1
27201	324-S AC LiPo/LiFe Compact Balance Charger	1
27202	123-S AC LiPo Compact Balance Charger	1
27220	7-in-1 Universal Charge Lead (4mm)	1
27221	T-plug Charge Lead (4mm)	1
27222	XH 2-6S Balance Board (4mm)	1
27223	RX Charger Lead FUT (4mm)	1
27224	US to IEC 320 C5 angle 1M AC Power Cord	1
27226	EU to IEC 320 C5 angle 1M AC Power Cord	1
27232	4mm/5mm Pro Charge Lead	1

:: Reedy Batteries

302	AA Alkaline 1.5V (4)	1
756	Wolfpack LiPo 4000mAh 35C 14.8V w/T-Plug	1
27313	LiPo Pro TX/RX 2400mAh 7.4V Flat	1
27315	LiFe Pro TX/RX 1600mAh 6.6V Flat	1
27353	Zappers SG3 6400mAh 115C 15.2V Stick	1
27354	Zappers SG3 5200mAh 115C 15.2V LP Stick	1

:: Reedy Comp. Motors & Spare Parts

27405	Sonic 866 Competition 1/8 Buggy Motor 1900kV	1
27406	Sonic 866 Competition 1/8 Buggy Motor 2100kV	1
27407	Sonic 877 Competition 1/8 Truggy Motor 2000kV	1
27408	Sonic 866 Rotor - Standard	1
27409	Sonic 866 Rotor - Low-Torque	1
27410	Sonic 877 Rotor- Standard	1
27411	Sonic 866/877 Screw Set (11 pcs.)	1
27412	Sonic 866/877 Bearing Set (pr.)	1
27413	Sonic 866/877 Sensor Board w/bearing	1

:: Reedy Comp. Motors Accessories

978	Flat Sensor Wire 70mm	1
979	Flat Sensor Wire 110mm	1
980	Flat Sensor Wire 150mm	1
981	Flat Sensor Wire 200mm	1
982	Flat Sensor Wire 270mm	1
994	Flat Sensor Wire 125mm	1
995	Flat Sensor Wire 175mm	1
27423	30mm Lightweight Motor Fan w/195mm extension	1
27457	30mm Aluminum Motor Fan w/195mm extension	1
27458	40mm Aluminum Motor Fan w/195mm extension	1

:: Reedy ESC'S

27007	Blackbox 850R Competition 1/8 ESC	1
27008	Blackbox 850R Competition 1/8 ESC w/Programmer	1
27027	Blackbox PROgrammer2	1
27030	Blackbox ESC/Programmer2 Connection Wire	1
27032	Blackbox 850R 30x30x10mm Fan w/screws	1

:: Reedy Servos & Accessories

27100	RS1206 Digital HV Hi-Speed Competition Servo	1
27101	RT1508 Digital HV Hi-Torque Competition Servo	1
27102	RS1206 Servo Case Set w/screws	1
27103	RS1206 Servo Gear Set	1
27105	RT1508 Servo Gear Set	1
27114	RT2406 Digital HV Brushless Competition Servo	1
27122	Reedy Aluminum Servo Horn (25)	1
27123	Reedy Aluminum Clamping Servo Horn (25)	1
27135	RT2406 Gear Set	1
27136	RT2706A Gear Set	1
27139	RT2406 Case Set	1

:: Reedy Accessories

643	Low Profile Bullet Plug 4mm x 14mm (2)	1
644	Low Profile Bullet Plug 4mm x 14mm (10)	1
645	Low Profile Bullet Plug 5mm x 14mm (2)	1
646	Low Profile Bullet Plug 5mm x 14mm (10)	1
647	Silicone Wire 12AWG-Black (1m)	1
648	Silicone Wire 14AWG-Black (1m)	1
650	Shrink Tubing - 15pcs 4.5mm x 20mm	1
747	Silicone Wire 12AWG-Black (30m)	1
790	Silicone Wire 13AWG-Black (1m)	1
791	Silicone Wire 13AWG-Black (30m)	1
792	Low Profile Caged Bullet Plug 4mm x 14mm (2)	1
794	Low Profile Caged Bullet Plug 5mm x 14mm (2)	1

:: Fueling Supplies (RC8T3.1 Nitro)

1738	FT Glow Starter	2
1747	Nitro Fuel Bottle Pro, 500cc	1
1751	FT Compact Starter Box	1
7724	Fuel Line 15"	1
7725	Fuel Line 3'	1

:: MyLaps Transponders

MLP10R120	MyLaps RC4 (3-wire) Transponder	1
MLP10R147	MyLaps RC4 (3-wire) Pro Transponder, Black	1
MLP40R222	MyLaps Transponder Holder	1

:: Lubes / Adhesives / Decals / Misc.

1105	FT Green Slime Shock Lube	1
1596	FT Locking Adhesive	1
1597	FT Tire Adhesive	1
6588	Black Grease - 4cc	1
6591	Diff Lube - 4cc	1
6636	Silicone Grease - 4cc	1
6727	Servo Tape	2
7710	FT Foam Prefilter Treatment, 1 oz.	1
9787	FT Chassis Protective Sheet	1
81324	RC8T3 Pro Line Body	1
81325	RC8T3/T3e Decal Sheet	1

1596



:: Apparel / Promotional

	TEE SHIRTS	
SP124*	AE 2017 Worlds Tee, Black (S, M, L, XL-5XL)	1
SP126*	Team Assoc. Tri T-Shirt, Black (S, M, L, XL-5XL)	1
SP128*	Team Assoc. Womens Tri T-Shirt, Black (S, M, L)	1
SP129*	Team Assoc. Youth Tri T-Shirt, Black (S, M, L)	1
SP130*	Team Assoc. Youth WC19 T-Shirt, Black (S, M, L)	1
SP131*	Team Assoc. Womens WC19 T-Shirt, Black (S, M, L)	1
SP132*	Team Assoc. WC19 T-Shirt, Black (S, M, L, XL-5XL)	1
SP143*	Reedy W19 T-SHirt, Black (S, M, L, XL-3XL)	1
SP161*	FT T-Shirt, White (S, M, L, XL-3XL)	1
SP200*	Element RC Logo Tee, Gray (S, M, L, XL-5XL)	1
SP201*	Element RC Rhombus Tee, Black (S, M, L, XL-5XL)	1
	HOODIES/JACKETS	
SP125*	AE 2017 Worlds Pullover, Black (S, M, L, XL-3XL)	1
SP127*	Team Associated Tri Zip Up, Black (S, M, L, XL-3XL)	1
SP142*	Reedy W19 Hoodie - Black (S, M, L, XL-3XL)	1
SP160*	FT Logo Lightweight "Medal" Zip Up Streaked, Black (S, M, L, XL-4XL)	1
SP230*	Element RC Zip Up, Black (S, M, L, XL-5XL)	1
SP231*	Element RC Hoodie, Black (S, M, L, XL-5XL)	1
SP250*	Element RC Jacket, Black (S, M, L, XL-2XL)	1
	HATS	
SP20	AE Patch Trucker Hat	1
SP260	Element RC Hat, Curved Bill, Black	1
SP261	Element RC Hat, Flat Bill, Black	1
SP262	Element RC Beanie, Black	1
SP430	Reedy Trucker Hat 2018	1
SP431	Team Associated Tri Trucker Hat, Flat Bill	1
SP432	Team Associated Tri Trucker Hat, Curved Bill	1
SP434	FT Logo Trucker Hat, Flat Bill	1
SP435	FT Logo Trucker Hat, Curved Bill	1
	BANNERS/MATS CARRIERS	
SP115	Reedy Circuit Cloth Banner	1
SP280	Element RC Counter Top Mat	1
SP281	Element RC Pit Mat	1
SP282	Element RC Pit Towel	1
SP283	Element RC Vinyl Banner, 48x24	1
SP284	Element RC Vinyl Banner, 20x12	1
SP285	Element RC Pin Pattern Counter Top Mat	1
SP425	FT Fluid Carrier	1

** Use part number plus the desired size when ordering!

:: Tools

1111	FT Turnbuckle Wrench - 1/10 Vehicles	1
1112	FT 4mm Turnbuckle Wrench - 1/10 Vehicles	1
1113	12mm Big Bore Shock Tool	1
1114	FT Dual Turnbuckle Wrench	1
1449	Off Road Ride Height Gauge	1
1452	FT TC Ride Height Gauge - Touring Car Vehicles	1
1498	FT Universal Tire Balancer	1
1499	FT Body Reamer	1
1500	FT 1.5mm Hex Driver	1
1501	FT 2.0mm Hex Driver	1
1502	FT 2.0mm Ball Hex Driver	1
1503	FT 2.5mm Hex Driver	1
1504	FT 2.5mm Ball Hex Driver	1
1505	FT 3.0mm Hex Driver	1
1506	FT 5.0mm Hex Driver	1
1507	FT 5.5mm Nut Driver	1
1508	FT 7.0mm Nut Driver	1
1510	FT 1.5mm Hex Replacement Tip	1
1511	FT 2.0mm Hex Replacement Tip	1
1512	FT 2.0mm Ball Replacement Tip	1
1513	FT 2.5mm Hex Replacement Tip	1
1514	FT 2.5mm Ball Replacement Tip	1
1515	FT 3.0mm Hex Replacement Tip	1
1518	FT Hex Driver Tool Set (3pcs)	1
1519	FT Hex/Nut Driver Tool Set (5pc)	1
1522	FT Digital Scale, 100/0.01g	1
1555	FT Clutch Gauge, 4 Shoe	1
1568	FT 5.5mm Short Nut Driver	1
1569	FT 7mm Nut Driver, T-Handle	1
1570	FT 5.5mm Short Nut Driver	1
1571	FT 1:8 Wheel Nut Wrench, 17mm Hex	1
1579	FT Ball Cup Wrench	1
1595	Chassis Weights, 1/4 oz	1
1650	7 Piece Hex Driver Set	1
1657	FT 1/4" Hex Drive .050" Tip	1
1659	FT 1/4" Hex Drive 5/64" - 2.0mm Tip	1
1661	FT 1/4" Hex Drive 1.5mm Tip	1
1662	FT 1/4" Hex Drive 2.5mm Tip	1
1666	FT 1/4" Hex Drive 5.5mm Nut Driver Tip	1
1667	FT 1/4" Hex Drive 7.0mm Nut Driver Tip	1
1668	FT 1/4" Hex Drive 8.0mm Nut Driver Tip	1
1674	FT 1/4" 5 Piece Power Tool Tips Set (5/64-2.0mm, 1.5mm, 2.5mm, 5/64"- 2.0mm ball, 2.5mm ball)	1
1675	FT Shock Shaft Pliers	1
1679	FT T-Handle Ratchet Driver	1
1719	FT Camber + Track Width Tool	1
1737	FT Body Scissors	1
3718	12 Inch Nylon Wire Ties	12
3987	FT Droop Gauge - Touring Car Vehicles	1
89240	RC8 FT Turnbuckle Wrench	1

ASSOCIATED ELECTRICS

Since 1965

21062 Bake Parkway Lake Forest, CA 92630 USA

call: (949) 544-7500 - fax: (949) 544-7501

visit us at: **www.AssociatedElectrics.com**
for all of our current products, new releases, setup help, tips, and racing info!

FOLLOW US ON SOCIAL MEDIA

TeamAssociated
ReedyPower
ElementRC

@TeamAssociatedRC
@ReedyPower
@Element RC

@Team_Associated
@ReedyPower

AEFactoryTeam